


Visage Series

IN-CEILING SPEAKERS



Visage Series in-ceiling speakers come with round, edge-to-edge magnetic grilles, but square grilles are also available separately. Grille cut-away shown to highlight speaker detail.



REDEFINING THE WAY YOU EXPERIENCE SOUND.™

RBH Sound

Visage Series

In-ceiling Speakers

The Visage Series in-ceiling speakers are designed for those who are just as fussy with the appearance of their home audio as they are about the sound quality. The easy-to-install, micro-perforated magnetic grilles cover and protect the speakers, providing a very attractive alternative to typical frame-type in-ceiling speaker designs. The Visage Series grilles can also be painted to allow the speakers to virtually hide in the ceiling, yet still deliver the exceptional sound RBH speakers are known for. Bringing together our most popular in-ceiling speaker models with the elegance of a contemporary frameless design, the Visage Series embodies RBH Sound's dedication to pleasing our listeners.



VA-615DS In-ceiling 2-way Dual Channel Speaker

Frequency Response: 55Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 10-80 Watts
Drive Units: (1) 6-1/2" (165mm) Poly Graphite Cone Woofer and (2) 3/4" (25mm) Silk Dome Tweeter
Cutout Dimensions: 7-3/4" (197mm) Dia.
Finished Dimensions: 9" Dia. x 3-7/8"D (229mm Dia. x 98mm D)
Weight: 3.45 lbs. (1.56 kg)

VA-615 In-ceiling 2-way Speaker

Frequency Response: 55Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 10-80 Watts
Drive Units: (1) 6-1/2" (165mm) Poly Graphite Cone Woofer and (1) 1" (25mm) Silk Dome Tweeter
Cutout Dimensions: 7-3/4" (197mm) Dia.
Finished Dimensions: 9" Dia. x 3-7/8"D (229mm Dia. x 98mm D)
Weight: 3.45 lbs. (1.56 kg)



VF-615 In-ceiling 2-way Speaker

Frequency Response: 50Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 15-100 Watts
Drive Units: (1) 6-1/2" (165mm) Fiberglass Matrix Cone Woofer and (1) 1" (25mm) Aluminum Dome Tweeter
Cutout Dimensions: 7-3/4" (197mm) Dia.
Finished Dimensions: 9" Dia. x 4-3/8" D (229mm Dia. x 111mm D)
Weight: 3.8 lbs. (1.72 kg)

VM-615 In-ceiling 2-way Speaker

Frequency Response: 55Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 10-80 Watts
Drive Units: (1) 6-1/2" (165mm) Aluminum Cone Woofer and (1) 1" (25mm) Aluminum Dome Tweeter
Cutout Dimensions: 7-3/4" (197mm) Dia.
Finished Dimensions: 9" Dia. x 4-3/8" D (229mm Dia. x 111mm D)
Weight: 5.85 lbs. (2.65 kg)



VA-615L In-ceiling LCR Speaker

Frequency Response: 55Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 10-80 Watts
Drive Units: (1) 6-1/2" (165mm) Poly Graphite Cone Woofer and (1) 1" (25mm) Silk Dome Tweeter
Cutout Dimensions: 7-3/4" (197mm) Dia.
Finished Dimensions: 9-1/8" Dia. x 4-3/4"D (232mm Dia. x 121mm D)
Weight: 3.45 lbs. (1.59 kg)

VM-615L In-ceiling LCR Speaker

Frequency Response: 50Hz-20kHz (± 3 dB)
Sensitivity: 88dB (2.83V @ 1 Meter)
Recommended Power: 15-120 Watts
Drive Units: (1) 6-1/2" (165mm) Aluminum Cone Woofer and (1) 1" (25mm) Aluminum Dome Tweeter
Cutout Dimensions: 8-1/4" (210mm) Dia.
Finished Dimensions: 9-3/8" Dia. x 4-3/4"D (238mm Dia. x 121mm D)
Weight: 3.7 lbs. (1.68 kg)



VA-815 In-ceiling 2-way Speaker

Frequency Response: 50Hz-20kHz (± 3 dB)
Sensitivity: 92dB (2.83V @ 1 Meter)
Recommended Power: 10-100 Watts
Drive Units: (1) 8" (203mm) Poly Graphite Cone Woofer and (1) 1" (25mm) Silk Dome Tweeter
Cutout Dimensions: 9-3/4" (197mm) Dia.
Finished Dimensions: 10-3/4" Dia. x 4-3/4"D (248mm Dia. x 121mm D)
Weight: 5 lbs. (2.27 kg)

VM-815 In-ceiling 2-way Speaker

Frequency Response: 45Hz-20kHz (± 3 dB)
Sensitivity: 90dB (2.83V @ 1 Meter)
Recommended Power: 15-150 Watts
Drive Units: (1) 8" (203mm) Aluminum Cone Woofer and (1) 1" (25mm) Aluminum Dome Tweeter
Cutout Dimensions: 9-3/4" (248mm) Dia.
Finished Dimensions: 10-3/4" Dia. x 5"D (273mm Dia. x 127mm D)
Weight: 6.15 lbs. (2.79 kg)



RBH Sound • 382 Marshall Way, Layton, Utah • USA • 84041
Toll Free: (800) 543-2205 • Fax: (801) 543-3300 • www.rbhsound.com

It is RBH Sound policy to continuously incorporate improvements into products; all specifications are subject to change without notice. Copyright © 2011 RBH Sound. All Rights Reserved.